

# HIKOKI

## ROTARY HAMMER DRILL DH28PMY

| Item No. | Code No. | Description                             | No. Used | Remarks             |
|----------|----------|---|----------|---------------------|
| 1        | 326271   | CHUCK HOLDER ASS'Y                      | 1        | INCLUD.2-10,12      |
| 2        | 995344   | FLAT HD. SCREW (A) (LEFT HAND) M6X25    | 1        |                     |
| 3A       | 375222   | DRILL CHUCK 13VLR0-N (W/O CHUCK WRENCH) | 1        |                     |
| 4        | 326527   | STOPPER                                 | 1        |                     |
| 5        | 965469   | RETAINING RING FOR D25 SHAFT            | 2        |                     |
| 6        | 326520   | WASHER (B)                              | 2        |                     |
| 7        | 326519   | SPRING                                  | 2        |                     |
| 8        | 326387   | LOCK GRIP                               | 2        |                     |
| 9        | 326801   | LOCK RING                               | 2        |                     |
| 10       | 336850   | CHUCK HOLDER                            | 1        |                     |
| 11A      | 335274   | GEAR COVER                              | 1        |                     |
| 12       | 959156   | STEEL BALL D7.0 (10 PCS.)               | 5        |                     |
| 13       |          | NAME PLATE                              | 1        |                     |
| 14       | 335259   | OIL SEAL                                | 1        |                     |
| 15       | 335260   | BALL BEARING 6805DD                     | 1        |                     |
| 16       | 326516   | BIT HOLDER ASS'Y                        | 1        | INCLUD.5-9,12,17-23 |
| 17       | 336849   | BIT HOLDER                              | 1        |                     |
| 18       | 306345   | FRONT CAP                               | 1        |                     |
| 19       | 306340   | STOPPER RING                            | 1        |                     |
| 20       | 324527   | GRIP                                    | 1        |                     |
| 21       | 324528   | BALL HOLDER                             | 1        |                     |
| 22       | 324526   | HOLDER PLATE                            | 1        |                     |
| 23       | 322812   | HOLDER SPRING                           | 1        |                     |
| 24       | 322789   | PUSHING BUTTON                          | 1        |                     |
| 25       | 317223   | PUSHING SPRING                          | 1        |                     |
| 26       | 334011   | CHANGE LEVER                            | 1        |                     |
| 27       | 878885   | O-RING (S-18)                           | 1        |                     |
| 28       |          | BRAND LABEL (UVP)                       | 1        |                     |
| 29       | 335800   | SPRING (E)                              | 1        |                     |
| 30       | 608VVM   | BALL BEARING 608VVC2PS2L                | 3        |                     |
| 31       | 336845   | CYLINDER                                | 1        |                     |
| 32       | 335264   | PIN D2.5                                | 4        |                     |
| 33       | 335263   | CYLINDER CLUTCH                         | 1        |                     |
| 34       | 335265   | SECOND GEAR                             | 1        |                     |
| 35       | 335266   | SPRING (A)                              | 1        |                     |
| 36       | 301679   | WASHER (A)                              | 2        |                     |
| 37       | 948310   | RETAINING RING FOR D30 SHAFT            | 1        |                     |
| 38       | 335262   | OIL SEAL (A)                            | 1        |                     |
| 39       | 336847   | HAMMER HOLDER (C)                       | 1        |                     |
| 40       | 335795   | SLEEVE (FW)                             | 1        |                     |
| 41       | 336846   | SECOND HAMMER                           | 1        |                     |
| 42       | 335267   | HAMMER HOLDER (A)                       | 1        |                     |
| 43       | 322805   | DAMPER (A)                              | 1        |                     |
| 44       | 322808   | O-RING (C)                              | 1        |                     |
| 45       | 324524   | DAMPER HOLDER                           | 1        |                     |
| 46       | 322807   | STOPPER RING                            | 1        |                     |
| 47       | 335246   | STRIKER                                 | 1        |                     |
| 48       | 335247   | O-RING D17                              | 1        |                     |
| 49       | 335255   | PISTON                                  | 1        |                     |
| 50       | 335793   | PISTON PIN                              | 1        |                     |
| 51       | 335250   | BEARING WASHER                          | 1        |                     |
| 52       | 335794   | PISTON WASHER                           | 2        |                     |
| 53       | 335275   | PINION SLEEVE                           | 1        |                     |

\* ALTERNATIVE PARTS

# HIKOKI

## ROTARY HAMMER DRILL DH28PMY

| Item No. | Code No. | Description                            | No. Used | Remarks           |
|----------|----------|--|----------|-------------------|
| 54       | 335276   | LOCK PLATE                             | 1        |                   |
| 55       | 335278   | SECOND PINION                          | 1        |                   |
| 56       | 323182   | CLUTCH SPRING                          | 1        |                   |
| 57       | 335254   | CLUTCH                                 | 1        |                   |
| 58       | 331315   | WASHER                                 | 1        |                   |
| 59       | 335277   | SECOND SHAFT                           | 1        |                   |
| 60       | 335249   | RECIPROCATING BEARING                  | 1        |                   |
| 61       | 990079   | SEAL LOCK HEX. SOCKET HD. BOLT M5X16   | 2        |                   |
| 62       | 335270   | BEARING HOLDER                         | 1        |                   |
| 63       | 335271   | BEARING COVER                          | 1        |                   |
| 64       | 335253   | FIRST GEAR                             | 1        |                   |
| 65       | 335245   | O-RING D72.2                           | 1        |                   |
| 66       | 335798   | INNER COVER                            | 1        |                   |
| 67       | 334008   | AIR CAP                                | 1        |                   |
| 68       | 324543   | FELT PACKING (A)                       | 1        |                   |
| 69       | 335284   | SPRING DAMPER                          | 2        |                   |
| 70       | 335283   | SPRING HOLDER                          | 1        |                   |
| 71       | 983162   | SEAL LOCK HEX. SOCKET HD. BOLT M4X12   | 2        |                   |
| 72       | 335285   | WEIGHT DAMPER (A)                      | 1        |                   |
| 73       | 335280   | WEIGHT (A)                             | 1        |                   |
| 74       | 335282   | LEAF SPRING                            | 1        |                   |
| 75       | 335281   | WEIGHT (B)                             | 1        |                   |
| 76       | 325241   | SEAL LOCK HEX. SOCKET HD. BOLT M3X8    | 2        |                   |
| 77       | 322816   | FELT PACKING                           | 1        |                   |
| 78       | 322818   | PACKING WASHER                         | 1        |                   |
| 79       | 876796   | O-RING (P-22)                          | 1        |                   |
| 80       | 608DDM   | BALL BEARING 608DD                     | 1        |                   |
| 81       | 982631   | WASHER (A)                             | 2        |                   |
| 82       | 335279   | COVER PLATE                            | 1        |                   |
| *83      | 360961E  | ARMATURE 220V-230V                     | 1        |                   |
| 84       | 335286   | WEIGHT DAMPER (B)                      | 1        |                   |
| 85       | 335244   | FAN GUIDE                              | 1        |                   |
| 86       | 961672   | HEX. HD. TAPPING SCREW D4X50           | 2        |                   |
| *87      | 340850E  | STATOR 220V-230V                       | 1        |                   |
| 88       | 322853   | PUSHING BUTTON                         | 1        |                   |
| *89      | 335796   | SWITCH                                 | 1        |                   |
| 90       | 335242   | HANDLE COVER                           | 1        |                   |
| 91       | 301653   | TAPPING SCREW (W/FLANGE) D4X20 (BLACK) | 3        |                   |
| 92A      | 335241   | HOUSING                                | 1        |                   |
| 93       | 301654   | TAPPING SCREW (W/FLANGE) D5X35         | 4        |                   |
| 94       | 955203   | BRUSH HOLDER                           | 2        |                   |
| 95       | 999041   | CARBON BRUSH (1 PAIR)                  | 1        |                   |
| 96       | 999072   | CARBON BRUSH (AUTO STOP TYPE) (1 PAIR) | 1        |                   |
| *97      | 953327   | CORD ARMOR D8.8                        | 1        |                   |
| 98       | 937631   | CORD CLIP                              | 1        |                   |
| 99       | 984750   | TAPPING SCREW (W/FLANGE) D4X16         | 2        |                   |
| *100     | 930039   | NOISE SUPPRESSOR                       | 1        | EXCEPT FOR THA    |
| 101      | 335857   | CHOKE COIL (A) BROWN                   | 1        | EXCEPT FOR THA    |
| 102      | 324551   | CHOKE COIL (A) BLUE                    | 1        | EXCEPT FOR THA    |
| *103     | 500390Z  | CORD                                   | 1        | (CORD ARMOR D8.8) |
| 104      |          | BRAND LABEL                            | 1        |                   |
|          |          | STANDARD ACCESSORIES                   |          |                   |
| 501      | 336848   | CASE                                   | 1        |                   |

\* ALTERNATIVE PARTS

**HIKOKI****ROTARY HAMMER DRILL DH28PMY**

| Item No. | Code No. | Description                               | No. Used | Remarks        |
|----------|----------|---|----------|----------------|
| 502      | 335273   | SIDE HANDLE                               | 1        |                |
| 503      | 303709   | DEPTH GAUGE                               | 1        |                |
|          |          | OPTIONAL ACCESSORIES                      |          |                |
| 601      | 306885   | DUST COLLECTOR (B) ASS'Y                  | 1        | INCLUD.602,610 |
| 602      | 986802   | DUST COLLECTOR ASS'Y                      | 1        | INCLUD.603-609 |
| 603      | 986803   | DUST COVER                                | 1        |                |
| 604      | 986804   | SEAL COVER                                | 1        |                |
| 605      | 948310   | RETAINING RING FOR D30 SHAFT              | 1        |                |
| 606      | 958063   | WASHER                                    | 1        |                |
| 607      | 959150   | STEEL BALL D6.35 (10 PCS.)                | 19       |                |
| 608      | 986805   | OUTER RACE                                | 1        |                |
| 609      | 986806   | SOCKET                                    | 1        |                |
| 610      | 306910   | SOCKET ADAPTER (B)                        | 1        |                |
| 611      | 971787   | DUST CUP                                  | 1        |                |
| 612      | 931844   | STOPPER                                   | 1        |                |
| 613      | 321814   | DRILL CHUCK 13VLRB-D                      | 1        | INCLUD.614     |
| 614      | 331966   | FLAT HD. SCREW (LEFT HAND) M6X20          | 1        |                |
| 615      | 321813   | DRILL CHUCK 13VLD-D                       | 1        |                |
| 616      | 971511Z  | + DRIVER BIT (A) NO.2 25L                 | 1        |                |
| 617      | 971512Z  | + DRIVER BIT (A) NO.3 25L                 | 1        |                |
| 618      | 944477   | COTTER                                    | 1        |                |
| 619      | 982684   | CENTER PIN (A) 109L FOR CORE BIT D32-38   | 1        |                |
| 620      | 982685   | CENTER PIN (B) 104L FOR CORE BIT D45-90   | 1        |                |
| 621      | 982672   | CORE BIT (A) 25MM                         | 1        |                |
| 624      | 982686   | GUIDE PLATE (FOR CORE BIT 32MM)           | 1        |                |
| 626      | 982687   | GUIDE PLATE (FOR CORE BIT 35MM)           | 1        |                |
| 628      | 982688   | GUIDE PLATE (FOR CORE BIT 38MM)           | 1        |                |
| 630      | 982689   | GUIDE PLATE (FOR CORE BIT 45MM)           | 1        |                |
| 632      | 982690   | GUIDE PLATE (FOR CORE BIT 50MM)           | 1        |                |
| 633      | 971794   | ANCHOR SETTING ADAPTER A W1/4" (MANUAL)   | 1        |                |
| 634      | 971795   | ANCHOR SETTING ADAPTER A W5/16" (MANUAL)  | 1        |                |
| 635      | 971796   | ANCHOR SETTING ADAPTER A W3/8" (MANUAL)   | 1        |                |
| 636      | 971797   | ANCHOR SETTING ADAPTER A W1/2" (MANUAL)   | 1        |                |
| 637      | 971798   | ANCHOR SETTING ADAPTER A W5/8" (MANUAL)   | 1        |                |
| 638      | 971799   | ANCHOR SETTING ADAPTER B W1/4" (MANUAL)   | 1        |                |
| 639      | 971800   | ANCHOR SETTING ADAPTER B W5/16" (MANUAL)  | 1        |                |
| 640      | 971801   | ANCHOR SETTING ADAPTER B W3/8" (MANUAL)   | 1        |                |
| 641      | 971802   | ANCHOR SETTING ADAPTER B W1/2" (MANUAL)   | 1        |                |
| 642      | 971803   | ANCHOR SETTING ADAPTER B W5/8" (MANUAL)   | 1        |                |
| 650      | 320859   | SYRINGE (BLOW-OUT BULB TYPE)              | 1        |                |
| 651      | 303046   | BULL POINT (SDS+) 250MM(ROUND SHANK TYPE) | 1        |                |
| 652      | 303044   | CHEMICAL ANCHOR ADAPTER (SDS+)12.7MMX90L  | 1        |                |
| 653      | 303045   | CHEMICAL ANCHOR ADAPTER(SDS+)19.0MMX100L  | 1        |                |
| 654      | 981122   | SPECIAL SCREW M6X22                       | 1        |                |
| 655      | 930515   | CHUCK WRENCH 10G                          | 1        |                |
| 656      | 302976   | ANCHOR SETTING ADAPTER A (SDS+)W1/4X260L  | 1        |                |
| 657      | 302975   | ANCHOR SETTING ADAPTER A(SDS+)W5/16X260L  | 1        |                |
| 658      | 303621   | ANCHOR SETTING ADAPTER A (SDS+)W3/8X160L  | 1        |                |
| 659      | 302974   | ANCHOR SETTING ADAPTER A (SDS+)W3/8X260L  | 1        |                |
| 660      | 302979   | ANCHOR SETTING ADAPTER B (SDS+)W1/4X260L  | 1        |                |
| 661      | 302978   | ANCHOR SETTING ADAPTER B(SDS+)W5/16X260L  | 1        |                |
| 662      | 303622   | ANCHOR SETTING ADAPTER B (SDS+)W3/8X160L  | 1        |                |
| 663      | 302977   | ANCHOR SETTING ADAPTER B (SDS+)W3/8X260L  | 1        |                |

\* ALTERNATIVE PARTS



